

VECTOR LTD

№	PRODUCT	PACKINGS
1.	<p style="text-align: center;">Adhesive paste C200M – polyvinylacetate based, water-soluble</p> <p>It has been designed for building industry - ground coatings, adhesion of floor and wall coverings and parquet onto concrete, sand-cement, asbestos-cement, plaster-fiberboard and wooden surfaces as well as adhesion of paper and cardboard.</p>	0,130 kg 24 pcs into a cardboard box
		0,220 kg 60 pcs into a cardboard box
		0,500 kg 20 pcs into a cardboard box
		1,000 kg 15 pcs into a cardboard box
		4 kg into a little bucket
		20 kg into a bucket
2.	<p style="text-align: center;">Parquet adhesive paste C250, water-soluble</p> <p>It is used to stick parquet and wooden planes onto concrete bases and levelling floor</p>	4 kg into a little bucket
		20 kg into a bucket
3.	<p style="text-align: center;">Adhesive paste C300 water-soluble</p> <p>It has been designed for wood, adhesion of wooden parts in the furniture industry and everyday necessities. It can be used also for veneer and wooden planes, paper and textile wall coverings, floor coverings and other porous materials.</p>	0,120 kg 24 pcs into a cardboard box
		0,220 kg 24 pcs into a cardboard box
		1,000 kg 15 pcs into a cardboard box
		4 kg into a little bucket
		20 kg into a bucket
4.	<p style="text-align: center;">Adhesive paste C400 water-soluble</p> <p>It has been designed for PVC folio</p>	0,220 kg 60 pcs into a cardboard box
		1,000 kg 15 pcs into a cardboard box
		4 kg into a little bucket
		20 kg into a bucket
5.	<p style="text-align: center;">Multifunctional adhesive paste C450 water-soluble</p> <p>It is used for adhesion of heat and sound-insulating materials(polystyrene, cork), polimeric coatings in premises with high humidity, floor coatings with and without textile base, terracota and faience.</p>	1,000 kg 15 pcs into a cardboard box
		4 kg into a little bucket
		20 kg into a bucket
6.	<p style="text-align: center;">Adhesive paste C50 water-soluble</p> <p>It has been designed for printing and publishing industry. It is especially used for adhesion of quires, paper backing and etc., as well as adhesion of paper and cardboard packings, sticking of lables onto glass.</p>	4 kg into a little bucket
		18 kg into a bucket
7.	<p style="text-align: center;">Adhesive paste C10 water-soluble</p> <p>It has been designed for adhesion of paper labels onto glass surfaces</p>	1,000 kg 15 pcs into a cardboard box
		4 kg into a little bucket
		20 kg into a bucket
8.	<p style="text-align: center;">Adhesive paste C11 water-soluble</p> <p>It has been designed for adhesion of paper onto polythene, paper labels onto plastic packings and surfaces.</p>	1,000 kg 15 pcs into a cardboard box
		4 kg into a little bucket
		17 kg into a bucket

	Recommended temperature of premises - over 10°C	
9.	Wallpaper adhesive paste KMC water-soluble It is used to stick wallpapers and wall coverings, paper and textile based. Adding adhesive paste C200M you can obtain exceptional strenght.	1,000 kg 30 pcs in a plastic bag
		0,500 kg 30 pcs in a plastic bag
10.	PVC adhesive It has been designed for PVC pipes, fittings, profiles and planes.It is used for adhesion of polyvinylchloride pipes, fittings, profiles and hard PVC planes	0,050 L 24 pcs into a cardboard box
		0,100 L 36 pcs into a cardboard box
		0,180 L 18 pcs into a cardboard box
		0.500 L 6 pcs into a cardboard box
		0,750 L 6 pcs into a cardboard box
		1,000 L 6 pcs into a cardboard box
11.	EPOVIT - EPOXIDE RESIN It has been designed for anticorrosive coatings, adhesion of materials and parts with different composition.	Epovit 100 – 0,100 L resin + 0,050 L hardener -18 pcs into a cardboard box
		Epovit 200 – 0,176 L resin + 0,086 L hardener 14 pcs into a cardboard box
		1,000 L resin + 0,500 L hardener
12.	Dry adhesive KAMENIT It has been designed for terracota, faience, marble and other stone coverings. It is intended for adhesion of ceramics, terracota, faience, marble and stone coverings onto concrene, gas-concrete, sand-cement coatings.	1,000 kg 20 pcs in a cardboard box
		5,000 kg 4 pcs in a cardboard box
		25 kg in a paper bag
13.	Dry adhesive KAMENIT LC It has been designed for adhesion of expandable polysyrene, polysyrene, extruded polystyrene, corc onto concrete, gas-concrete, bricks. It is used for adhesion of armoured capron net onto expandable polystyrene also.	5,000 kg 4 pcs in a cardboard box
		25 kg in a paper bag
14.	Dry adhesive KAMENIT GB Gas-concrete dry adhesive	5,000 kg 4 pcs in a cardboard box
		25 kg in a paper bag
15.	Dry adhesive KAMENIT LC with fibers It is used for bonding of styrofoam, depron, cork and all types of mineral wool onto concrete, cement-sand plaster. It is also used for bonding of reinforcing mesh onto heat-insulation materials.	5,000 kg 4 pcs in a cardboard box
		25 kg in a paper bag
16.	M 2	20 kg in a paper bag
		25 kg in a paper bag
17.	CHELMEVECT-polychloroprene based adhesive It has been designed for adhesion of leather, sole-leather, rubber, monolithic rubber feet, textile, cork	0,060 L in an aluminium tube/60 psc.
		0,320 L 24 psc. in a carboard box
		0,750 L 12 psc. in a carboard box
		4,000 L 4 psc. in a carboard box
		17 L in a metal bucket
18.	HYDROCIL-FASADE IMPREGNATOR It is used to protect facade walls from rain. Impregnates into external mortal coatings, face bricks, roof-tiles, concrete, marble and stone coverings. Prevent against precipitation of acids and mould on the walls.	1,000 L in a plastic bottle
		5,000 L on a plastic tube
		10,000 L on a plastic tube
		20,000 L on a plastic tube
	HYDROLAT H3-two component	

19	It is used for waterproofing of flat concrete, asphalt, metal sheet, asbestos-cement bases.	1 kg/component A + component B/
20	HYDROLAT B7-one component, water soluble It is used for waterproofing of vertical and inclined concrete, asphalt, plaster and other bases.	1,000 kg in a plastic bucket
		5 kg into a little bucket
		20 kg into a bucket
21	PLASTOVECT PB - polymeric fine plaster Hydrophobic external and internal coating	5 kg into a plastic bucket
		20 kg into a plastic bucket
22	PLASTOVECT PR - polymeric embossed plaster Hydrophobic external and internal coating	5 kg into a plastic bucket
		20 kg into a plastic bucket
23	GROUND COAT A1 - good-penetrating abilities, water-soluble It is used to strenghten worn out and crumbly coatings, concrete bases and floors.	1,000 L in a plastic bottle
		5,000 L on a plastic tube
		20,000 L on a plastic tube
24.	WHITE DRY MIXTURE Dry mixture is applied for external and interior walls.	20 kg into a bucket
25.	LATEX B2 - polymeric paint	5 kg into a little bucket
		8 kg into a little bucket
		14 kg into a bucket
		25 kg into a bucket
26	LATEX B - polymeric paint For interior painting of walls and ceilings at residential premises and public buildings with normal air humidity.It is applied over plastered surfaces, smooth plaster, concrete, plasterboard, as well as over coatings of water dispersible paints.	1,300 kg 15 pcs. Into a cardboard box
		5 kg into a little bucket
		8 kg into a little bucket
		14 kg into a bucket
		25 kg into a bucket
27	COLARIT 1 - polymeric paint for internal painting, water-soluble.	1,300 kg 15 pcs. Into a cardboard box
		5 kg into a little bucket
		8 kg into a little bucket
		14 kg into a bucket
		25 kg into a bucket
28	FASADE IMPREGNATOR V is opaque, highly pigmented, water dispersion paint for exterior painting, not containing organic solvents	1,300 kg 15 pcs. Into a cardboard box
		5 kg into a little bucket
		8 kg into a little bucket
		14 kg into a bucket
		25 kg into a bucket
29	COLARIT 2 - polymeric paint It is intended for external painting, water-soluble.	1,300 kg 15 pcs. Into a cardboard box
		5 kg into a little bucket
		8 kg into a little bucket
		25 kg into a bucket
30	Acetone	1,000 L 12 pcs. Into a cardboard box
		0,500 L 11 pcs. Into a cardboard box
31	APP	1,000 L 12 pcs. Into a cardboard box
32	Alcohol for cleaning	1,000 L 12 pcs. Into a cardboard box
		0,500 L 11 pcs. Into a cardboard box

33	<p style="text-align: center;">AQVA VARNISH</p> <p>is designed for varnishing of wooden surfaces: doors, windows, benches, tables, etc., indoor and outdoor.</p>	0,800 L
34	<p style="text-align: center;">AQUA ALKYDE D</p> <p>is designed for varnishing of wooden surfaces: doors, windows, benches, tables, etc. It has high coverage, resistance against contaminations and is easy to be cleaned</p>	0,800 L -WHITE 0,800 L -YELLOW 0,800 L- BLACK 0,800 L - IVORY